_	55	lock\$4 adj server and @ad<=19981014	USPAT;	2004/05/25 15:39
		locks and server and water 19901014	US-PGPUB;	2004/03/23 13.37
			EPO; JPO;	
			DERWENT	
_	121	lock\$4 near server and @ad<=19981014	USPAT;	2004/05/25 15:39
	'2'	Took Fried Server and Was 17701011	US-PGPUB;	2001/03/23 13:33
			EPO; JPO;	
			DERWENT	
_	1318	(remov\$5 or delet\$6) near (super\$user or administrat\$9 or root) and	USPAT;	2004/05/25 15:28
	'5''	@ad<=19981014	US-PGPUB;	2004/05/25 15.20
		(Sad - 17701017)	EPO; JPO;	
			DERWENT	
-	836	(remov\$5 or delet\$6) adj (super\$user or administrat\$9 or root) and	USPAT;	2004/05/25 15:28
		@ad<=19981014	US-PGPUB;	
		() () () () () () () () () ()	EPO; JPO;	
			DERWENT	
_	2	(remov\$5 or delet\$6) adj (super\$user or administrat\$9 or root) with	USPAT;	2004/05/25 15:29
	_	(computer or server) and @ad<=19981014	US-PGPUB;	200 11 03 12 13 12 1
		(companies or box vol.) and Gua 13301011	EPO; JPO;	
			DERWENT	
-	11	(remov\$5 or delet\$6) near (super\$user or administrat\$9 or root) with	USPAT;	2004/05/25 15:31
		(computer or server) and @ad<=19981014	US-PGPUB;	200 1,05/25 15.51
		(comparer of server) and (gad - 19901011	EPO; JPO;	
			DERWENT	
_	0	(remov\$5 or delet\$6) near (super\$user or root adj (user or account)) with	USPAT;	2004/05/25 15:31
	ľ	(computer or server) and @ad<=19981014	US-PGPUB;	2004/03/23 13.31
		(comparer of server) and water 19901014	EPO; JPO;	
			DERWENT	
_	1	(remov\$5 or delet\$6) near (super\$user or root adj (user or account)) and	USPAT;	2004/05/25 15:32
	•	@ad<=19981014	US-PGPUB;	2004/05/25 15.52
			EPO; JPO;	
			DERWENT	
-	1	lock with server with prevent\$5 with log and @ad<=19981014	USPAT;	2004/05/25 15:33
	1	look with solver with preventes with log and logad 177501011	US-PGPUB;	2001/03/23 13.33
			EPO; JPO;	
			DERWENT	
l -	15	lock\$5 with server with log\$in	USPAT;	2004/05/25 15:33
			US-PGPUB;	
			EPO; JPO;	*
			DERWENT	
-	0	(remov\$5 or delet\$5) adj2 all adj2 (superuser or root or administrator)	USPAT;	2004/05/25 15:42
		and @ad<=19981014	US-PGPUB;	
1			EPO; JPO;	
			DERWENT	
-	302	lock\$3 near2 (superuser or root or administrator) and @ad<=19981014	USPAT;	2004/05/25 15:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	1	lock\$3 near2 (superuser or root or administrator) with log\$3 and	USPAT;	2004/05/25 15:43
		@ad<=19981014	US-PGPUB;	
]			EPO; JPO;	
]		DERWENT	
-	0	lock\$3 near2 (superuser or root or administrator) with server and	USPAT;	2004/05/25 17:11
	1	@ad<=19981014	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	11	lock\$3 with (superuser or root or administrator) with server and	USPAT;	2004/05/25 16:00
Í		@ad<=19981014	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
	10	(prevent\$4 or prohibit\$5) adj2 (log\$3) with lock and @ad<=19981014	USPAT;	2004/05/25 16:01
-				
-			US-PGPUB;	
-			US-PGPUB; EPO; JPO;	

•	452	lock\$3 adj log\$3 and @ad<=19981014	USPAT; US-PGPUB;	2004/05/25 17:32
			EPO; JPO; DERWENT	
-	3	lock\$3 adj log\$3 with remote\$5 and @ad<=19981014	USPAT; US-PGPUB;	2004/05/25 17:43
	3	(remov\$5 or delet\$5) adj root adj (account or directory or user) and	EPO; JPO; DERWENT USPAT;	2004/05/25 17:43
		@ad<=19981014	US-PGPUB; EPO; JPO;	
-	7	(remov\$5 or delet\$5) adj2 (root or super\$user) adj2 (account or directory	DERWENT USPAT;	2004/05/25 17:45
		or user) and @ad<=19981014	US-PGPUB; EPO; JPO; DERWENT	
-	8	(remov\$5 or delet\$5) adj2 (root or super\$user)with (account or directory) and @ad<=19981014	USPAT; US-PGPUB;	2004/05/25 17:46
	9	(remov\$5 or delet\$5)near2 (root or super\$user)with (account or	EPO; JPO; DERWENT USPAT;	2004/05/25 17:46
		directory) and @ad<=19981014	US-PGPUB; EPO; JPO;	200 (103)23 17.40
-	1	((remov\$5 or delet\$5)near2 (root or super\$user)with (account or	DERWENT USPAT;	2004/05/25 17:47
		directory) and @ad<=19981014) not ((remov\$5 or delet\$5) adj2 (root or super\$user)with (account or directory) and @ad<=19981014)	US-PGPUB; EPO; JPO; DERWENT	
-	154	(server or computer) with lock with log\$3 and @ad<=19981014	USPAT; US-PGPUB;	2004/05/25 17:49
-	96	server with lock.ab. and @ad<=19981014	EPO; JPO; DERWENT USPAT;	2004/05/25 17:58
		_	US-PGPUB; EPO; JPO;	
-	111	remote\$5 with (manag\$5 or monitor\$5) with server with (web or internet) and @ad<=19981014	DERWENT USPAT; US-PGPUB;	2004/05/25 17:59
			EPO; JPO; DERWENT	
-	1	remote\$5 with (manag\$5 or monitor\$5) with server with (web or internet) and @ad<=1998101.ab.4	USPAT; US-PGPUB; EPO; JPO;	2004/05/25 17:59
-	11	remote\$5 with (manag\$5 or monitor\$5) with server with (web or	DERWENT USPAT;	2004/05/25 18:06
		internet).ab. and @ad<=19981014	US-PGPUB; EPO; JPO; DERWENT	
-	1	(remov\$5 or delet\$5) adj2 (super\$user or root or administrator) with authenticat\$5 and @ad<=19981014	USPAT; US-PGPUB;	2004/05/25 18:07
	14	(removes on deletes) edi2 (removes on next on a desiminators)	EPO; JPO; DERWENT	2004/05/25 18:10
-	14	(remov\$5 or delet\$5) adj2 (super\$user or root or administrator)and authenticat\$5 and @ad<=19981014	USPAT; US-PGPUB; EPO; JPO;	2004/05/25 18:10
-	65	authenticat\$5 with root and @ad<=19981014	DERWENT USPAT;	2004/05/25 18:10
			US-PGPUB; EPO; JPO; DERWENT	
-	4	authenticat\$5 with root with (chang\$3 or modif\$5) and @ad<=19981014	USPAT; US-PGPUB;	2004/05/25 18:13
			EPO; JPO; DERWENT	

	,			_
-	1	(remov\$5 or delet\$5) adj superuser and @ad<=19981014	USPAT;	2004/05/25 18:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	756	(remov\$5 or delet\$5) adj root and @ad<=19981014	USPAT;	2004/05/25 18:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	(remov\$5 or delet\$5) adj root adj (account or user) and @ad<=19981014	USPAT;	2004/05/25 18:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	(remov\$5 or delet\$5) adj root adj2 (account or user) and	USPAT;	2004/05/25 18:14
		@ad<=19981014	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	10	(remov\$5 or delet\$5) adj administrator and @ad<=19981014	USPAT;	2004/05/25 18:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	1	server adj lockout and @ad<=19981014	USPAT;	2004/05/25 18:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	1	server with lock\$out.ab. and @ad<=19981014	USPAT;	2004/05/25 18:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	142	server with lock\$3.ab. and @ad<=19981014	USPAT;	2004/05/25 18:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	6	server with lock\$3 with log\$5.ab. and @ad<=19981014	USPAT;	2004/05/25 18:22
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	49	server with lock\$3 with log\$5 and @ad<=19981014	USPAT;	2004/05/25 18:27
	;		US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	super\$user adj directory and @ad<=19981014	USPAT;	2004/05/25 18:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	787	root adj directory and @ad<=19981014	USPAT;	2004/05/25 18:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	95	root adj directory with user and @ad<=19981014	USPAT;	2004/05/25 18:31
]		US-PGPUB;	
] i		EPO; JPO;	
			DERWENT	
-	5	UID near2 zero and @ad<=19981014	USPAT;	2004/05/25 18:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	17	UID with (superuser or root) and @ad<=19981014	USPAT;	2004/05/25 18:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	3	(remov\$5 or delet\$5) adj2 (superuser or root or administrat\$5) adj2	USPAT;	2004/05/25 18:41
		(rights or privilege)and @ad<=19981014	US-PGPUB;	
			EPO; JPO;	
			DERWENT	

L Number	Hits	Search Text	DB	Time stamp
6	1	microsoft.as. and lock with workstation and @ad<=19981014	USPAT; US-PGPUB;	2004/05/26 10:14
			EPO; JPO;	
			DERWENT	
7	50	microsoft.as. and lock with system and @ad<=19981014	USPAT;	2004/05/26 10:14
			US-PGPUB;	
			EPO; JPO;	
	_		DERWENT	
8	7	microsoft.as. and lock with log\$5 and @ad<=19981014	USPAT;	2004/05/26 10:15
			US-PGPUB; EPO; JPO;	
			DERWENT	
9	17	microsoft.as. and lock\$3 with log\$5 and @ad<=19981014	USPAT;	2004/05/26 11:57
		3	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
10	13	unix with uid and @ad<=19981014	USPAT;	2004/05/26 11:57
			US-PGPUB;	
			EPO; JPO;	
33	2	6210700 nn	DERWENT	2004/05/26 14 52
33	2	6219700.pn.	USPAT; US-PGPUB;	2004/05/26 14:52
			EPO; JPO;	
			DERWENT	
-	32	server with (configur\$5 or set\$5) with read\$only same access	USPAT;	2004/05/25 12:48
			US-PGPUB;	
			EPO; JPO;	ļ
			DERWENT	
-	11	(server with (configur\$5 or set\$5) with read\$only same access) and	USPAT;	2003/10/17 11:40
		@ad<=19981014	US-PGPUB;	
			EPO; JPO;	
_	476	(access adj control with server).ab.	DERWENT USPAT;	2003/10/17 11:40
	470	(access any control with server).ab.	US-PGPUB;	2003/10/17 11.40
			EPO; JPO;	
			DERWENT	
-	2	(((access adj control with server).ab.) and @ad<=19981014) and	USPAT;	2003/10/17 11:42
		(remov\$4 or delet\$5 or void\$4 or cancel\$3 or chang\$5) adj3 (superuser	US-PGPUB;	
		or root or priviledge)	EPO; JPO;	
	152	((access adj control with server).ab.) and @ad<=19981014	DERWENT	2002/10/17 11.44
-	132	((access adj control with server).ab.) and wad ~19981014	USPAT; US-PGPUB;	2003/10/17 11:44
			EPO; JPO;	
			DERWENT	
-	33	(((access adj control with server).ab.) and @ad<=19981014) and	USPAT;	2003/10/17 12:01
		(authenticat\$3 or identif\$5 or verif\$5) adj3 (user or client or	US-PGPUB;	
		administrator)	EPO; JPO;	
			DERWENT	
-	142	(administrator or user) with (access\$5 or log\$5) adj4 server with (thru or	USPAT;	2003/10/17 12:05
		through) adj3 (client or external)	US-PGPUB;	
			EPO; JPO; DERWENT	
- 1	23	((administrator or user) with (access\$5 or log\$5) adj4 server with (thru or	USPAT;	2003/10/17 12:09
		through) adj3 (client or external)) and @ad<=19981014	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
	10	administrator with access with server with (thru or through) adj5 client	USPAT;	2003/10/17 12:09
			US-PGPUB;	
			EPO; JPO;	
	5	(administrator with access with common with (the and beauty) at 8 10 0	DERWENT	2002/10/17 12 02
•	3	(administrator with access with server with (thru or through) adj5 client) and @ad<=19981014	USPAT;	2003/10/17 13:06
		mid (6)44 - 17701014	US-PGPUB; EPO; JPO;	
			DERWENT	